





/*NIT. ID No. 36988 Dated.

E-TENDER NOTICE

For and behalf of the DG Home Guards and Civil Defence, E-Tender (on line tender) are invited for supply of Civil Defence Items for the Directorate General of Home Guards & Civil Defence Nishkam Sewa Bhawan, CTI Complex, Raja Garden, New Delhi-27. The NIT has been uploaded and available along with terms and condition and detailed specification. All the tenderers should apply online before the Last Date and Time.

Sl.NO.	Estimated Cost	Rs. 1000000 (Ten Lakh)
1	Date of release of tender through e- procurement solution	11 /01/2011
2.	Last Date & Time for Downloading the tender	9.00 AM on 04/02 /2011
3.	Last Date/ Time of filing up of tender through e-procurement solution	11.00 AM on 04/02/2011
4.	Date & time of opening on Line Pre- Qualification bids	12.00 AM on 04/02/2011
5.	Date & Time of opening of on line Financial Bids	3.00 PM on 04 /02/2011
6.	Address where Bids will be opened	Directorate General of Home Guards & Civil Defence Nishkam Sewa Bhawan, CTI Complex, Raja Garden, New Delhi-27.
7.	Further information can be seen at	https://delhi.govtprocurement.com

https://:www.delhihomeguards.nic.in

Prescribed tender form along with terms and conditions can be downloaded from https://delhi.govtprocurement.com

Tender document shall not be sold by the department. To participate in e-tender, the agency should have a Digital Signature and should be registered with Application Services Provider (ASP) of DG & D (C1 India Pvt.Ltd.) which is mandatory. For any assistance regarding e-tendering the intending tender may contact at Help Desk, Room No. 129, Level I, Delhi Secretariat, I.P.Estate, New Delhi-Ph: 011-23392722.

(D.S. RAWAT) SSO(CD)/HOO Dated:







TO BE SUBMITTED ALONG WITH THE PRE-OUALIFICATION BID

	TO BE SUBMITTED	ALUNG WITH THE	PRE-QUALIFICATION B	<u>v</u>
TENDER N	NOTIFICATION NO			
To, D.G. Direct & Civi	orate General of Home (il Defence Nishkam Sewa an, CTI Complex, Raja (Delhi-27	TENDER FOI Guards a		
Sir,				
execute supp may be accep Document fo	ly of items as per specificated at the rates stated there is such items, or, as may be hkam Sewa Bhawan, C'y him.	ation against which we re in and subjected to to be ordered by the Dire TI Complex, Raja G	tractor/Vendors/Suppliers) here have quoted our rates. Furthe he terms & conditions set forth ctor General of Home Guard arden New Delhi-27 or any ot	r, this tender in the Tender ls & Civil
	Signature of Cont	tractor:		
	Date:			
	Address:			
	Phone:	Fax:		
	Email:			
Place: Date:			SIGNATURE:	
			NAME:	
			SEAL OF THE TENDI	DED







ON LINE E-TENDER FOR SUPPLY OF CIVIL DEFENCE ITEMS TO THE CD & HG DEPARTMENT

Annexure-'D'

PRE-QUALIFICATION BID

S.1	PARTICULARS	TO BE FILLED BY BIDDERS
No.		
1.	NAME OF THE BIDDER	
2.	FULL OFFICE ADRESS	
3.	PHONE NO.	
	MOBILE NO.	
	E-MAIL	
4.	TIN/VAT REGISTRATION NO. ISSUED BY	
	COMPETENT AUTHORITY	
5.	PERMANENT ACCOUNT NUMBER (PAN.) ISSUED	
	BY COMPETENT AUTHORITY	
6.	EMD OF RSIN THE	
	FORM OF DD	
	FROMBANK.	
	TOWARDS ANNEXURE/GROUP	
7.	EMD EXEMPTION CERTIFICATE, IF ANY.	
8.	WHETHER UNDERTAKING ATTACHED AS PER	
	ANNEXURE 'B'	
9.	WHETHER DULY SIGNED AND STAMPED	
	TERMS & CONDITIONS SUBMITTED	
10.	PERFORMANCE CERTIFICATE OF LAST TWO	
	YEARS FROM THE H.G. & C.D. DEPARTMENT IN	
	RESPECT OF THOSE BIDDERS WHO HAVE/ARE	
	SUPPL YING MATERIAL IN THE H.G. & C.D	
	DEPARTMENT.	

Signature & Stamp of Tendere	r
------------------------------	---

Name of the Tenderer	
----------------------	--







File No. TA:35:(48)/CD/2006/Pt	Dated.
The Director, Information and Publicity Govt. of Delhi, Block No.1, Old Secretariat, Delhi-110054.	
Subject: Publication of Tender Notice for supply of Civil Defe General of Home Guards & Civil Defence Nishkam Sewa Bhawa Delhi-27.	
1. Tender ID No.	https://delhi.govtprocurement.com
Sir, I am to request that enclosed Notice Inviting Tender may please be go following dailies on or before, under intimation receipted bills on this account may be made in the name of DG. Ho Sewa Bhawan, CTI Complex, Raja Garden, New Delhi-27 and send to 1. Hindustan Times – English 2. NAV Bharat Times – Hindi	on to the undersigned. Necessary preme Guards & Civil Defence Nishkam
	Yours faithfully,
Encl: - <u>Three Copies of Tender Notice in English & Hindi</u>	(D.S. RAWAT) SSO (CD)/HOO Dated







DIF	RECTORATE C	ENERAL OF HO	ME GUARDS & CIV	VIL DEFENCE
		AGREEMENT	Annexure-	<u>·C</u>
An ag	greement made on	this	day of hereinafter called the 'Contra	,2011 between
adminis by him Departi	strators, successors and for the purpose on beh ment) which expressio	repugnant to the context d assignees) on the One P half of D.G Home Guards	t, be deemed to include his/ art and the D.G.(H.G & C.D) & Civil Defence (hereinafter y or repugnant to the context	their heirs, executors, or any person deputed realled the H.G & C.D.
for H.C	-	during the year 2010-201	e open tender for the supply 11 and whereas the contractor	
Defenc	e Items as detailed in		a.&.C.D. Department has agree under (hereinafter called "the hereafter appearing.	* * *
NOW T		/ITNESSES AND THE F	PARTIES HERE TO HERE	BY AGREE AS
	That the contractor ha in the schedule.	s agreed to supply the pre	scribed quality of Civil Defer	nce Items as mentioned
	•		ONTHS from the date of awatract period at the same rates,	
	the scheduled bank in		ment a D.D of Rsctorate General of Home Gu e total value of contract.	•
		shall supply the Civil rs issued by this Directora	Defence Items at this D te from time to time.	pirectorate as per the
5.	That the rates quoted	by the contractor and acce	epted by the (H.G. & C.D.) De taxes except VAT, which will	•

- 6. That the (H.G. & C.D.) Department would not be liable to pay any further charges towards any other expenditure incurred by the contractor and any fluctuations in the market and taxes are at the cost of supplier.
- 7. That it will be the responsibility of the contractor to supply Civil Defence Items as mentioned in the schedule as per the requirement of the HG & CD Department from time to time. The supply will be made on all working days up to 5.00 P.M. (Except Saturday, Sunday & other holidays) to the authorized officer of the HG & CD Department.
- 8. That the contractor shall satisfy himself of all matters affecting the delivery of the supplies. No extra charges incurred will be allowed as consequences of wrong delivery, misconstruing of terms and conditions of agreement or otherwise.
- 9. a)The contractor has to execute the supply of material/items by the due date of supply specified in supply order issued by the Department.







- b) That if the contractor fails to supply as per above conditions, a penalty@ 2.5% of the value of the delayed supply per week shall be levied for the period till material is supplied by the contractor or risk purchase is made by the department, whichever is earlier. Any part of a week will be considered as a full week.
- c) That if the contractor fails to supply the material/items within the due date of supply as mentioned in para a) above, department will be entitled to purchase the items from the open market as Risk Purchase and the Contractor shall be liable to pay the differences between purchase price and quoted price, If any. This difference will be deducted from the pending bills of the contractor in accounts section of the HG & CD Department or/and will be adjusted against the security deposit lying in accounts section of the HG & CD Department. If, the amount of penalty is more than the Security deposit, department shall claim the balance amount from the contractor and the contractor shall pay the amount within a week.
- d) That the department shall have the right to cancel the contract with the contractor or to forfeit the security deposit or to debar/blacklist the contractor as deemed fit by the competent authority simultaneously on account of delay/non-supply/substandard supply of items.
- 10. That in case of any dispute regarding imposition of penalty or forfeiture of security /EMD amount / debar or black-listing of the firm, due to late / non-supply, sub-standard supply of items, the decision of the D.G. (H.G.& C.D.) or the person nominated by him, shall be final and binding on the contractor.
- 11. That, if the contractor gives wrong or incomplete information in their tender, department reserves the right to reject such bid at any stage or to cancel the contract, if awarded and forfeit the /"EMD"/ Security Deposit or to debar/blacklisting of the contractor.
- 12. That, if the contractor failed/backout from the contract/supply of material, the firm/contractor shall be liable to be debar/blacklisted as deemed fit by the competent authority, apart from the forfeiture of EMD/Security deposit, if any .
- 13. That the Contractor should note that while supplying the Civil Defence Items the specification as given in the requirement should be adhered to, payment shall only be made as per the specifications required and any incase there is a deviation, in the specifications, dimensions/ then that of what is required the same will be rejected.
- 14. That the contractor shall replace the Civil Defence Items on being found defective or, that of inferior quality at his cost with in 7 days. In case it is not replaced, this Directorate. will have recourse to risk purchase at the cost of supplier.
- 15. That the contractor shall intimate the this Department the name of the authorized representative who shall come to the (H.G.& C.D.) premises for execution of order.
- 16. The bills against supply submitted by the firm/ contractor in the office of the store officer (H.G& C.D) will be processed & released at the earliest. However. If, any amount of the bills is found by the Audit office to have been over paid, the amount found over paid shall be refundable by the firm/contractor.
- 17. That the amount of the security shall remain with the this Department for a period of 2 months beyond the completion of the Supply or 2 months after date of validity of contract period whichever is later. But the contractor shall not be entitled to any interest form the Department for retaining the security deposit.







- 18. That all the powers exercisable, function to be discharged in terms and conditions and contents of this deed in relation to the this Department shall be exercised and discharged by the D.G.(H.G.&C.D.) Delhi or by other officer so specifically authorized by him on this behalf.
- 19. That the stamp duty/other charges payable under the law, in respect of this Deed shall be borne by the contractor.
- That the quantity prescribed in the tender is tentative & can be increased or decreased by the Department, depending upon necessity/requirement. The supply will have to be made strictly as per the schedule given in supply order by the Department.
- 21. That the this Department Authorities reserve the right to requisition the material in part or in full or as per the schedule and no requisition of one or more items in case there is no demand/budget/unforeseen security threats/law and other problems within any other extra ordinary situation. The transport cost will be borne by the supplier/contractor based on FOR at this Dte.
- 22. That the contractor has to follow the timings of Department and follow the strict security guidelines wherever it is required. The unloading of Civil Defence Items will be the responsibility of the contractor.
- 23. That in case any latent defects are detected in due course. The same has to be replaced at the cost of the supplier.
- 24. That the contractor shall abide by the Terms & Conditions stipulated in the tender document.
- 25. i) That in case of any dispute arising out of the tender or any breach of agreement (except those decisions which are otherwise herein above provided for). The matter will first be referred by Department/Contractor to D.G, (H.G.& C.D.) for Arbitration. D.G. (H.G. & C.D.) reserves the right to appoint any person as arbitrator to sort out the dispute. The award of the arbitrator so appointed shall be final and binding on the contractor.
 - ii) That there will be no objection to any such appointment that the arbitrator so appointed is a (H.G & C.D.) Department Officer and that he had to deal with the matters to which this indenture relates and that in the course to his duties as such (H.G. & C.D.) Officer he had expressed view on all or any matters in disputes or differences.
- 26. That all disputes are subject to the jurisdiction of Delhi Courts only.

 In WITNESS THERE OF, the parties herby have signed the Agreement Deed on the day. Month and year first herein above mentioned.

 Signed and delivered by

oigiica an	id delivered by	 	 	
For M/s.				
_		(Contractor)		

SCHEDULE (ANNEXURE)

W	IN	ES	SE	S:
•				-

1.

2.

(D.S.RAWAT) SSO (CD)/HOO







1. ELIGIBILITY CRITERIA.

- a. The agency/firm should have a valid (PAN) Permanent Account Number, issued by Competent Authority i.e. ITO.
- b. The agency/firm should also have a valid TIN Number issued by the Department of Trade & Taxes.
- c. The agency/any of its Directors/Partners etc. should have not been black listed by any Govt. organizations/Department or have been convicted for any offence by any court of law as on date (Provide an Undertaking in Annexure-'B')
- **d.** The tenders, which do not comply with the conditions, will be summarily rejected. Tenders received after the due date and specified time will also be summarily rejected.

2. PROCESS FOR SUBMISSION OF BID

- (i) The tenderer may quote rates for Civil Defence Items as per specification mentioned in Annexure-'A'. No firm shall quote two rates of an item in the tender otherwise the tender of the firm shall be rejected straightaway.
- (ii) The Purchase Committee nominated by the department to assess eligibility will carry out evaluation of the Bids.
- (iii) Each Tender (**Pre-Qualification Bid**) must be accompanied by scanned copy of "E.M.D" as per Annexure "A". This amount should be in the form of Demand Draft in favour of D.D.O. Directorate General of Home Guards & Civil Defence Nishkam Sewa Bhawan, CTI Complex, Raja Garden, New Delhi-27. (**Pre-Qualification Bid**) without EMD & samples will be rejected straightaway.
- (iv) The rates should be quoted in Indian Rupees by the tenderer as per the format given on the eprocurement site. The finalized rate of this tender shall be valid for TWO MONTHS from the date of award of contract/Supply order. The rates should be quoted inclusive of packing, forwarding, freight, insurance; excise (if applicable) and all other taxes and duties, excluding Vat.VAT will be paid as applicable and to be mentioned clearly.
- (v) The bid submitted after the last date/time of filling up of tender stipulated in e-tender notice will not be accepted. The bids submitted by Telex/ Telegram/Facsimile/e-mail or any manner other than specified in this tender document through on line e-tender system shall not be considered. No correspondence shall be entertained on this matter from any vendors(s).
- (vi) The on line tender involves a two stage scrutiny.
- (A) <u>Pre-Qualification Bid</u> will contain the below mentioned documents. Without which the tender of the firm shall be rejected. No price shall be indicated in the **Pre-Qualification Bid**
- (i) Earnest Money Deposit at the prescribed rates mentioned at Annexure 'A'.
- (ii) EMD Exemption Certificate as per GFR, if applicable.
- (iii) Signed and stamped undertaking on prescribed Performa enclosed as per Annexure-'B' on non judicial stamp paper worth Rs. 10/- duly attested by Public Notary.
- (iv) Signed and stamped Terms & Conditions as mentioned in Tender Document.
- (v) Self Attested copy of the PAN Number.
- (vi) Copy of the sales tax Registration number/VAT allotted by state sales Tax Authorities and Central sales Tax number allotted by sales Tax Authorities.







THE COPIES OF ABOVE MENTIONED DOCUMENTS DULY SIGNED WITH SEAL OF THE TENDERER TO BE SCANNED IN E-PROCUREMENT SITE.

EMD and above documents duly signed with seal of the tenderer should be reached physically in the Tender Box before 11:00A.M on the date of opening of Bids in the Directorate General of Home Guards & Civil Defence Nishkam Sewa Bhawan.CTI Complex, Raja Garden, New Delhi-27. If, these documents are physically not submitted as mentioned above. The bid will be summarily rejected.

- (B). <u>Financial Bid:-</u> Should be submitted in the prescribed preforma as per (Annexure-'A') on e-procurement site. Firstly Pre-Qualification Bid will be opened. Firms, which qualify in the Technical Bid, shall only be eligible for evaluation of Financial Bid.
- (i) Tender quoted fluctuating rate such as "this is prevalent market rates and rates shall be applicable at the time of delivery as per the market rates "shall be rejected outright. Conditional tenders shall be summarily rejected.

3. EARNEST MONEY DEPOSIT (EMD)

- (i) Earnest Money Deposit (E.M.D.) of Rs.40000(Rupees forty thousand only) must be deposited in the form of D.D.from a schedule Bank in favour of D.D.O. Directorate General of Home Guards & Civil Defence Nishkam Sewa Bhawan.CTI Complex, Raja Garden, New Delhi-27.
- (ii) The exemption for depositing earnest money will only be allowed as per the provisions of the G.F.R for which exemption certificate must be attached with the tender.
- (iii) EMD should reach physically in the "Tender Box" along with Annexure 'D' (Pre-Qualification Bid) as well as required documents duly attested by the bidder & its seal, be deposited, before 11.00 A.M. on the date of opening of Pre-Qualification Bid at the Directorate General of Home Guards & Civil Defence Nishkam Sewa Bhawan.CTI Complex, Raja Garden, New Delhi-27.
- (iv) In case of the bidder whose tender is not short listed E.M.D. shall be returned after the approval of the recommendation of the Purchase Committee by the competent authority. No interest will be provided on EMD.
- (v) EMD will be refunded to the successful bidders on receipt of Performance Security and after entered into agreement with the DG Home Guards and Civil Defence.
- (vi) EMD Amount will not be converted/adjusted into Performance Security.

4. PERIOD OF CONTRACT

The contract shall held good for ONE MONTHS from the date of award of contract/supply order. However, the same can be further be extended up to next One months at the sole discretion of D.G.(HG & CD) and the contractor has to supply the Civil Defence Items in the extended period at the same rates, terms & conditions.

5. PROCEDURE FOR EVALUTION OF BIDS

(i) A duly constituted Purchase Committee (PC) shall evaluate the Pre-Qualification Bid on the basis of document, clearly mentioned in the enclosed terms and conditions of this tender document and then evaluate the financial Bids on the basis of quoted rates and shortlist the tenderer for further processing.







- (ii) Department reserves the right to reject any bid or the tender without assigning any reason. Department also reserves the right, at its own discretion, not to award any order under the present tender. The decision of department in this regard shall be final and no representation of any kind shall be entertained. Department shall not pay costs incurred towards preparation and submission of the bid or any other expenditure in this regard to the tenderer.
- (iii) The DG. (Directorate General of Home Guards & Civil Defence) Delhi reserves the right to accept the tender in whole or in part with respect to all the items quoted by the tenderers in Annexure-'A'.
- (iv) On acceptance of the bids of successful bidder it will become a contract after completing all the codal formalities and the tenderer shall be bound by the present terms and conditions as well as by the 'Agreement' entered into as per Annexure—'C' which will be signed by the tenderer within 07 days of the acceptance of tender.
- (v) In case of similarity of rates, preference will be given to those who deal with the product or the total quantity of supply will be equally distributed amongst the parties.
- (vi) Printed conditions mentioned in the Bid by the vendor shall not' be binding on us.

6. <u>AGREEMENT/CONTRACT</u>

Successful bidder shall have to enter into contract/ agreement etc. by formal signing by the both parties.

An agreement (copy enclosed as Annexure-'C') duly signed and stamped on stamp paper worth Rs.50/- shall have to be executed by the tenderer at his own expenses in the event of tender being accepted and same shall be submitted along with the security deposit within 07 days of the date of acceptance of Tender failing which Earenst Money Deposite will be forfeited.

7. PERFORMANCE SECURITY

- (i) The Tenderer, whose tender is accepted will hereinafter be called the <u>CONTRACTOR</u> and shall deposit the amount of SECURITY at the rates mentioned below within 07 days of the date of acceptance of the tender.
- (ii) The Security Deposit would be 7% of total contract value of successful Bidders/contractors.
- (iii) The contractor shall deposit the above Security amount in the form of D.D in favour of D.D.O. (Directorate General of Home Guards & Civil Defence) Delhi along with the agreement within 07 days after receiving of confirmation letter otherwise the EMD will be forfeited. The security deposit shall be kept for a period of Two months beyond the date of completion of all contractual obligations of the supplier or Two months after the date of validity of Tender which ever is later.
- (iv) The amount of security deposited shall he retained by the department for a period mentioned above for which no interest shall be paid to the supplier, as a safeguard against non-delivery, delay in delivery, any defect or lack of quality appearing in the articles which have been supplied, within this period, and will be returned to contractor on his furnishing the usual no demand certificate.







8. MATERIAL EVALUATION

- i) Supply of the Civil Defence Items should be made strictly conforming to the specifications as detailed in following paras.
- ii) a) The Tenderer should note that while supplying the Civil Defence Items, the specification/dimensions as given in the requirement should be adhered to. Incase of any deviation in the specification / dimensions, payment shall only be made as per the specifications required.
 - b) Accurate specification/measurement will be calculated of Civil Defence Items, variation, if any will not be accepted.
- iii) The contractor shall supply the Civil Defence Items to the best quality. The quality and quantity of the item will be checked by the Inspection committee of Directorate General of Home Guards & Civil Defence at the time of supply of the items. The decision of the Inspection committee as regards to the quality and kind of items (s) shall final and binding on the contractor.
- iv) If, the Director General of Home Guards & Civil Defence. Or any person deputed by him deems it necessary to change any article on its being found to be defective or of inferior quality after delivery. It shall be replaced by the contractor within 7 days to prevent inconvenience or delay and no extra charges will be allowed in such cases for replacement. In case, it is not replaced, The Department Authorities will have recourse to risk purchase at the cost of supplier.

9. SUCCESSFUL BIDDER:

- i) contract shall be awarded to the lowest evaluated bidder who has been found to be responsive and who is eligible and qualified to perform the contract satisfactorily as per the terms & conditions incorporated in this tender document. However, in case the lowest acceptable bidder is not in a position to supply the full quantity required as per the supply order issued by the department, the remaining quantity as far as possible be ordered to the next higher responsive bidder at the rates offered by the lowest responsive bidder.
- ii) The department shall obtain the written consent/agreement of the next higher responsive bidder to supply at the approved rates of the lowest bidder, at the time of finalization of tender.

10. PAYMENT TERMS & CONDITIONS

The firm shall submit the bills for payment in triplicate after completion of supply of a supply order to the satisfaction of the (H.G. & C.D.) Department. The payment at each stage will be released after deduction penalty amount, if, any or TDS/ Service Tax etc, if applicable. Payment will be made only after the (H.G. & C.D) Department is satisfied with the quality & quantity of supply as per specifications.

11. PENALTIES

1) a) The contractor has to execute the supply of material/items by the due date of supply Specified in supply order issued by the Department.







- b) If, the contractor fails to supply as per above condition, a penalty @ 2.5% of the value of the delayed supply per week shall be levied for the period till material is supplied by the contractor or risk purchase is made by the department, whichever is earlier. Any part of a week will be considered as a full week.
- c) If, the contractor fails to supply the material within the due date of supply as mentioned in para a) above, department will be entitled to purchase the items from the open market as risk purchase and the contractor shall be liable to pay the differences between purchase price and quoted price, if any. This difference will be deducted from the pending bills of the contractor in accounts section of the (H.G & C.D.) Department or/and will be adjusted against the security deposit lying in accounts section of the (H.G. & C.D.)Department. If, the amount of penalty is more than the security deposit, department shall claim the balance amount from the contractor and the contractor shall pay the amount within a week.
- d) The department shall have the right to cancel the contract with the contractor or to forfeit the security deposit or to debar/blacklist the contractor as deemed fit by the competent authority simultaneously on account of delay/non-supply/substandard supply of items.
- 2) In case of any dispute regarding imposition of penalty or forfeiture of security/ EMD amount/debar or black-listing of the firm, due to late/non-supply, sub-standard supply of items, the decision of the D.G. Home Guards & Civil Defence or the person nominated by him, shall be final and binding on the contractor.
- 3) If, a tenderer gives wrong or incomplete information in their tender, department reserves the right to reject such bid at any stage or to cancel the contract, if awarded and forfeit the /"E.M.D"/ Security Deposit or to debar/blacklisting of the contractor.
- 4) If, any firm with whom contract/agreement has been executed, failed/back out from the contract/supply of material, shall be liable to be debar/blacklisted as deemed fit by the competent authority, apart from forfeiture of EMD/Security deposit, if any.

12. ARBITRATION

- i) In case of any dispute arising out of the tender or any breach of agreement (except those decisions which are otherwise herein above provided for.) the matter will first be referred by Department/ Contractor to D.G. (Home Guards & Civil Defence.) for Arbitration. D.G. (Home Guards & Civil Defence.) reserves the right to appoint any person as arbitrator to sort out the dispute. The award of the arbitrator so appointed. shall be final and binding on the contractor.
- ii) There will be no objection to any such appointment that the arbitrator so appointed is a Home Guards & Civil Defence. Department Officer and that he had to deal with the matters to which this indenture relates and that in the course to his duties as such Govt Servent he had expressed view on all or any matters in disputes or differences.

13. (A) OTHER TERMS & CONDITIONS

<u>Alteration in the Specifications</u>: The specifications issued with this form of tender must not be altered by the bidders.

<u>Incomplete Tenders</u>: Tenders will not be considered if complete information is not given at the time of tendering, or, if the particulars and data (if any) asked for in the Tender Notice, are not given.







- (i) Cancellation of Tender/Contract/ in Part or in Full, in case of Default in Contract/Supply: If the Supplier, in the opinion of the Directorate, fails or neglects to comply with any of the terms & conditions forming part of the tender, the Head of
 - Directorate, shall, without prejudice to any other right or remedies under the contract, has the right to cancel the contract/order by giving 15 days notice in writing to the Suppliers/Firms, without being liable to pay compensation for such cancellation.
- (ii) Tender shall be uploaded as per guidelines indicated in e-Procurement procedure displayed at the site: https://delhi.govtprocurement.com.
- (iii) Demonstration/Inspection of equipments will have to be arranged by the suppliers, at their cost, if so desired by the Directorate.
- (iv) The supplier will have to agree for pre-dispatch inspection of the goods on receipt, and inspection after Supply of the items/equipment at this Directorate, if so desired/decided by the competent authority.
- (v) **Service Manuals & A Certificte of warranty** will have to be provided along with the Items/Equipments
- (vi) **Default in After Sales Services:** In the event of any default and/or unsatisfactory after sales service by the supplier/tenderer/vendor/firm, the competent authority of the Directorate will be at liberty to repair/get the item repaired/serviced from other source/party at his/their cost.

13(B)

- a) If a tenderer gives wrong or incomplete information in their tender, department reserves the right to reject such bid at any stage or to cancel the contract, if awarded and forfeit the EMD"/Security Deposit.
- b) The quantity prescribed in the tender is tentative & can be increased or decreased by the Department, depending upon necessity/requirement. The supply will have to be made strictly as per the schedule given in supply order by the this Department time to time.
- c) The supply be made at this Department up to 5.00 P.M. on working days/whenever required, in the presence of Storekeeper or any other person deputed by the Store Officer and the name of contractor or his any authorized agent, who will be responsible to keep the proper account should be made known to the Store Officer.







- d) That the contractor will ensure that none of his employees, including driver, cleaner, helper etc. carry prohibited articles like fire arms, explosives, explosive substances, sharp edge weapons, tobacco, drugs, narcotic substances, liquor, currency notes, biris, cigarettes etc. in case any item is caught, the concerned person will be held responsible and will be handed over to local police for prosecution and will entail cancellation of contract and also would be black-listed.
- e) Canvassing in any form in connection with this tender is strictly prohibited and the tender submitted by the vendor who resorts to canvassing are liable for rejection.
- f) The loading and unloading of the article including requisite labourer shall entirely be the responsibility of tenderer.
- g) All the terms & Conditions for the supply, testing & acceptance of the payment terms, penalty clause etc. shall be as those mentioned herein. No change whatsoever in terms & Conditions shall be acceptable.
- h) It will be the discretion of D.G. (Home Guards & Civil Defence.) or his representative to make enquiries in order to judge the suitability and the capacity to any particular firm/contractor and decision to enter into contract or otherwise would rest with the D.G. (Home Guards & Civil Defence.) finally. It will also be the discretion of D.G. (Home Guards & Civil Defence.) to award contract of any item to more than 1 firm in case it is necessary.
- i) The bid should be in conformity with clauses mentioned in the tender document otherwise the bid shall be rejected. Tender once submitted shall be final and no amendment shall be permitted after the close of the bid.
- j) The submission of a bid by a tenderer implied that he has read the entire tender Document and has made himself aware of the scope and specification of the work to be performed and of the local conditions and other factors which have a bearing on the execution of the work.
- l) The acceptance of terms and condition of the tender are to be signed by the tenderer in the prescribed form at the end of the terms and conditions and also submit physically along with Pre-Qualification Bid .any other document which is not asked for will not be entertained by the department. Pre-Qualification Bid receive without the above acceptance shall be rejected.
- m) All disputes are subject to the jurisdiction of Delhi Courts only.

(D.S.RAWAT) SSO (CD)/ HEAD OF OFFICE







dated for the items mentioned in
for the items mentioned in
(Signature & Seal of the Tenderer)

Nishkam Sewa Bhawan ,CTI Complex ,Raja Garden New Delhi-27 Phone No. – 011-25448148, Fax No. 011-25107058 Email – dghome@nic.in







Annexure- 'B'

UNDERTAKING

To

The D.G.
Directorate General of Home Guards
& Civil Defence Nishkam Sewa Bhawan,
CTI Complex, Raja Garden New Delhi-27

Sir,

Place:

- 1. I/We undertake that myself/ourselves /firm/company/any partners/Directors . have never been blacklisted by any Govt./Semi-/Govt. Department all over India.
- 2. I/We undertake that no criminal proceedings/enquiry is pending against me/us/firm/Company/any partner/Directors thereof.
- 3. I/We undertake that there is no personal/official dealings whatsoever with the officers/ officials of the HG & CD Department Delhi.

Date:	SIGNATURE:
	NAME:
	SEAL OF THE TENDERER:







To,

D.G.

Directorate General of Home Guards & Civil Defence Nishkam Sewa Bhawan, CTI Complex, Raja Garden New Delhi-27

ONLINE E-TENDER FOR SUPPLY OF CIVIL DEFCNCE ITEMS, TO DIRECTORATE GENERAL OF HOME GUARDS & CIVIL DEFENCE NISHKAM SEWA BHAWAN, CTI COMPLEX, RAJA GARDEN NEW DELHI-27

(Annexure-'A')

Financial Bid

E.M.D.Rs.40.000.00

				Ł.M.D.KS	E.M.D.Ks.40,000.00	
5	Name Of Item	Quantity	Unit Cost	Other	Total	
Vо		Required	(Rs.)	Charges	Cost	
		_		(Rs.)	(Rs.)	
	Reflective Jacket/Fluorescent	80 Nos.				
	Jackets Water Proof					
	Specifications:					
	(i)Fluorescent colour jacket with					
	50mm glass bead type reflective tape					
	in 2 vertical and 1 horizontal band in					
	front and back same. Front opening					
	and v neck design.					
	(ii) Background Fabric :- 100%					
	Polyester, 125 gsm made from bright					
	glossy yarn, adhering to EN 471					
	standard. It shall have excellent colour					
	fastness and should be uv treated.					
	(iii) Colours :- Fluorescent reddish					
	orange/fluorescent lime – yellow.					
	(iv) Reflective Tapes :- Glass bead					
	type reflective tape, EN 471 class 2					
	approved, 50 mm wide, colour of the					
	reflective tape will be silver grey.					
	Accessories:					
	(i) Binding :- Binding will be black in					
	colour. 100% polyester fabric will be					
	used in binding with excellent colour					
	fastening binding is 100% leak proof.					
	(ii) Velcro :- Velcro shall be 25 mm					
	wide and 50 mm in length positioned					
	vertically for perfect fastening the					
	colour of the Velcro will be black.					
	Size: length: 27 inches and width 23					
	inches.					







2	Fire Entry Suit	4 Nos.			
	Specifications:				
	The Fire Entry Suit is meant for				
	momentary use in flame and should be				
	capable of protecting the wearer from ambient heat, conductive heat and				
	radiant heat.				
	radiant neat.				
	CONSTRUCTION OF FABRIC				
	It should be made by the				
	texturised. Silica glass yarn that are				
	twice as strong as steel wire of same				
	diameter.				
	HEAT/FLAMERESISTANCE				
	CAPACITY The Fire Entry Suit he complete of				
	The Fire Entry Suit be capable of withstanding at least ambient heat of				
	800 degree Celsius. Radiant heat of				
	1600 degree Celsius and total flame of				
	1000 degree Celsius.				
	S				
	HOOD				
	Designed to be used with air				
	mask. Inner drape flame seals. Under				
	arm adjustment straps. Built – in shell				
	for structural support. Hard cap with				
	ratchet headgear with adequate thermal protection and should provide view in				
	fire station. Speedy clip for hard copy				
	support. Hardened aluminum window				
	frame with adequate thermal				
	protection and should provide clear				
	view in fire situation.				
	COAT				
	Designed to be worn with				
	breathing apparatus.				
	PANT				
	High waist design 2-inch wide				
	adjustable suspenders. Adjustable				
	straps on leg bottoms.				
	BOOTS				
	Designed to fit over work shoes.				
	Rear entry with overtap snap closure				
	and adjustable take up straps.				
	Insulated wire reinforced sole for				
	flame resistant.				
		ı	1	1	1

Nishkam Sewa Bhawan ,CTI Complex ,Raja Garden New Delhi-27 Phone No. – 011-25448148, Fax No. 011-25107058







APPROVAL (a) For the fabric used for the suit shall have one or more of following approvals. (b) Listed by underwriter laboratories UL 214 (c) U.S. Coast Guards spec No. 164 009 (d) U.S. Military Spec. MIL-C-0020079 (e) U.S. Military Spec. MIL- 1 24244C (f) Meets or exceeds BFPA Spec. No. (g)UL 723 FLAME SPREAD: 0 Smoke density: 0 Fuel contributed: 0 **NOTE TO TENDERER:** 1. The tenderer shall indicate the make/ model in their offer. 2. The tenderer shall furnish the clauseby-clause compliance statement. In case there is any deviation the same should be clearly brought out in the offer. 3. They shall mention the relevant certificate of the product offered. 4. Technical manual comprising of servicing details shall be supplied with system. 5. Relevant Test certificates shall be provided from a Govt. approved laboratory or from the manufacturer, along with their offer.







3.	Medical First Responder Kits with box	8 Nos.		
- •	(a)BITE STICKS:	2		
	Qualitative Requirements			
	Material: Plastic			
	Length: 6 inches			
	Width: 0.5 to 0.75 inches			
	Thickness 2-3 mm at one end tapering to			
	05.mm at other end with Good grip			
	Used to removes stings from epidermis			
	of skin			
	ANCEDITION COLLAD GUODE			
	(AS DED IS a 115(0))			
	(AS PER IS : 11569)			
	(i) Rigid cervical collar-extrication type			
	(i) ragia corvicar contar extreation type			
	(ii) Material: soft plastic rigid enough to			
	avoid 70% of neck movement and lined			
	inside with soft cushion.			
	(iii) Padded chain rest for application by			
	sweep technique.			
	(iv) Colour coded and measure holes for			
	easy identification and measurement of			
	correct size. (v) Velcro for easy fixation.			
	(vi) MRI/CT Scan compatible; radio			
	lucent			
	(vii)Tracheal access opening for			
	advanced airway procedure;			
	(viii) Rear panel opening for cervical			
	spine palpation.			
	(ix) Latex free and durable.			
	(x) This size of finished c-collar should			
	not be less than 4.5 cm when			
	measurement as per prescribed			
	procedure.			
	COLLAR STIFF NECK REGULAR			
	(As per IS : 11569)			
	(i) Rigid cervical collar-extrication type			
	(1) Tagio col rical collai extileation type			
	(ii) Material: soft plastic rigid enough to			
	avoid 70% of neck movement and lined			
	inside with soft cushion.			
	(iii) Padded chain rest for application by			
	sweep technique.			
	(iv) Colour coded and measure holes for			
	easy identification and measurement of			
	correct size.			



radiolucent





(v) Velcro for easy fixation.		
(vi) MRI/CT Scan compatible;		
radiolucent.		
(vii) Tracheal access opening for		
advanced airway procedure;		
(viii) Rear panel opening for cervical		
spine palpation		
(ix) Later free and durable.		
(x) This size of finished c-collar should		
not be less than 6 cm when measurement		
as per prescribed procedure.		
COLLAR STIFF NECK (NO NECK)		
(As per IS: 11569)		
(i) Rigid cervical collar-extrication type		
(ii) Material : soft plastic rigid enough to		
avoid 70% of neck movement and lined		
inside with soft cushion.		
(iii) Padded chain rest for application by		
sweep technique.		
(iv) Colour coded and measure holes for		
easy identification and measurement of		
correct size.		
(v) Velcro for easy fixation.(vi) MRI/CT Scan compatible; radio		
lucent.		
(vii) Tracheal access opening for		
advanced airway procedure.		
(viii) Rear panel opening for cervical		
spine palpation.		
(ix) Latex free and durable.		
(x) The size of finished c-collar should		
not be less than 3 cm when measurement		
as per prescribed procedure.		
COLLAR STIFF NECK		
(PEDIATRICS) (As per IS: 11569)		
(i) Rigid cervical collar-extrication type		
(ii) Material : soft plastic rigid enough to		
avoid 70% of neck movement and lined		
inside with soft cushion.		
(iii) Doddod shain most for amplication by		
(iii) Padded chain rest for application by		
sweep technique.		
(iv) Colour coded and measure holes for		
easy identification and measurement of		
correct size.		
(v) Velcro for easy fixation.		
•		
(vi) MRI/CT Scan compatible;		







(vii) Tracheal access opening for		
advanced airway procedure.		
(viii) Rear panel opening for cervical		
spine palpation.		
(ix) Latex free and durable.		
COLLAR STIFF NECK TALL		
As per IS : 11569)		
(i) Rigid cervical collar-extrication type		
(ii) Material : soft plastic rigid enough to		
avoid 70% of neck movement and lined		
inside with soft cushion.		
(iii) Padded chain rest for application by		
sweep technique.		
(iv) Colour coded and measure holes for		
easy identification and measurement of		
correct size.		
(v) Velcro for easy fixation.		
(vi) MRI/CT Scan compatible;		
radiolucent.		
(vii) Tracheal access opening for advanced airway procedure;		
(viii) Rear panel opening for cervical		
spine palpation		
(ix) Later free and durable.		
(x) This size of finished c-collar should		
not be less than 10 cm when		
procedure. (c) <u>Gauze dressing Vaseline</u> :		
Qualitative Requirement		
Non adherent dressing U.S.P.		
\mathcal{E}		
impregnated with U.S.P. white Petrolatum		
Size: 10 x 10		
Package: sterilized 10 pieces/pack		
(d) <u>Dressing Multi trauma</u> :		
Qualitative Requirement Size: 12"x3"		
Layers: of 16 ply of good absorbent		
quality gauze with cotton in between.		
Thickness: at least of 5 cm.		
Package: presterilized packs of 3		
pieces/pack; ready to use		
(e)SPECIFICATION OF FLEXIBLE		
SPLINTS (SAMS SPLINTS)		
LARGE/MEDIUM/SMALL		
(i) Material light weight, radio lucent,		
moldable.		
(ii) Water Proof and body fluid poof.		
(iii) Portable light weight padded flexible		
splints of three sizes and reusable,		
spinits of three sizes and reusaute,		







(1) O: 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
(iv) Standard and junior sets with all			
three sizes			
(v) Velcro strapped for easy application			
and removal			
(f) Restraints patient – one part			
Qualitative Requirement			
Material: Heavy duty seat belt webbing			
Length: 300 cm			
Width: 5 cm			
Locking mechanism: plastic/ steel snap			
Lock/ buckles (male and female ends)			
Package: in sets of 4			
(f) Restraints patient – two parts			
Qualitative Requirement			
Material: Heavy duty seat belt webbing			
Length: 450 cm			
Width: 5 cm			
Locking mechanism: dual side release			
buckles plastic/ steel snap			
Lock/ buckles (male and female ends)			
Package: in sets of 4			
(g)Roller bandages 6"			
Qualitative Requirement			
Dimensions: 15 cm x 5 meter length			
Gauze bandage of superior quality, cross			
net weaving fabricated from cotton fibers			
Sterilized packs			
(g)Roller bandages 3"			
Qualitative Requirement			
Dimensions: 7 cm x 5 meter length			
Gauze bandage of superior quality, cross			
net weaving fabricated from cotton fibers			
Sterilized packs			
Sternized packs			
(h)Triongular handaga 40° v 40°			
(h)Triangular bandage 40" x 40"			
Qualitative Requirement Dimensions : 00x00x120cm size bandage			
Dimensions: 90x90x120cm size bandage			
Material : good quality calico material			
() T			
(i) <u>Tape dermical cloth 1"</u>			
Qualitative Requirement			
Dimensions: 2.5 cm x 9 meter			
Hypoallergenic surgical micro pore			
adhesive tap			
(j) Tape dermical cloth 2"			
Qualitative Requirement			
Dimensions: 5 cm x 9 meter			
Hypoallergenic surgical micro pore			
adhesive tap			
umonve tup			
	1		







1	(I)(I) I (M I)	1		
	(k) Gloves Latex – Medium :			
	Qualitative Requirement			
	Size : Medium			
	Material: natural rubber Latex, single			
	use disposable' powder free;			
	Sterilized sealed packs			
	Should meet emergency medical glove			
	requirements of NFPA 1999 standard on			
	protective clothing for emergency			
	medical operations, 1997 edition.			
	(k) Gloves Latex - Large :			
	Qualitative Requirement			
	Size: Large			
	Material: natural rubber Latex, single			
	use disposable' powder free;			
	Sterilized sealed packs			
	Should meet emergency medical glove			
	requirements of NFPA 1999 standard on			
	protective clothing for emergency			
	medical operations, 1997 edition			
	(k) Gloves Latex – Extra large:			
	Qualitative Requirement			
	Size : Extra large			
	Material: natural rubber Latex, single			
	use disposable' powder free;			
	Sterilized sealed packs			
	Should meet emergency medical glove			
	requirements of NFPA 1999 standard on			
	protective clothing for emergency			
	medical operations, 1997 edition.			
	(1) Triage Ribbon Green:			
	Qualitative Requirement			
	Material: satin and color fast			
	Width: 2.5 cm			
	Length: 50 meters			
	(1) Triage Ribbon Red:			
	Qualitative Requirement			
	Material: satin and color fast			
	Width: 2.5 cm			
	Length: 50 meters			
	(1) Triage Ribbon Black:			
	Qualitative Requirement			
	Material: satin and color fast			
	Width: 2.5 cm			
	Length: 50 meters			
	(1) Triage Ribbon Yellow:			
	Qualitative Requirement			
	Material: satin and color fast			
	Width: 2.5 cm			
	Length: 50 meters			
	(m) Mask Oxygen- Non Re breather			
	(Adult):			
		1		







	-	 	
			Т
Qualitative Requirement			
Size : Extra Large Material :			
transparent body of mask, soft plastic			
material with pre-Inflated cuff providing			
airtight cushion seal Package: single use,			
sterile packs Oxygen connecting tube: 3			
meter length Mash straps attached for			
securing to patient and metal clip over			
Nose mask; masks should also have			
exhale port on either Side; one exhale			
port to have one way valve to prevent			
flow of Oxygen to atmosphere.			
(m)Face Mask Universal size:			
Qualitative Requirement			
Size : Adult universal size Material:			
Disposable, single use layer filter face			
mask with nose clip; N95/HEPA			
Respirator type should have 2 straps one			
to secure above ear level and other below			
ear level. Package : in packets of			
50/100; sterile.			
(n)Sponge Sterile: 4" x 4":			
Qualitative Requirement			
Dimensions: 10 x 10 cm Material : 12			
ply. good absorbent quality Package :			
packet of 4 swabs sterilized and ready to			
use packs Thickness : 1 to 1.5"			
Operating temperature of 0° C to 50° C			
and water resistance as per IEC 60529/en			
60529 IP 44			
(O)Scissors para medical (Trauma			
Scissors) (As per IS-10445)			
Qualitative Requirement			
Length 6" to 9", width 3 mm Stainless			
steel body Plastic unsheathed finger			
slots.			
(p)Oxygen Cannula - Nasal			
Qualitative Requirement			
Oxygen delivery device compatible			
with oxygen regulator (light weight			
Material: soft transparent good quality			
plastic of 2-3 mm diameter Tube length:			
3 meters Nasal prongs in closed loop			
which is adjustable and of ultra soft,			
Non-irritant pliable plastic and about 5-			
10 mm in length; Head straps (elastic and			
adjustable) for securing package:			
disposable sterilized individual packs			
should provide safe comfortable low			
flow oxygen in concentration of 24-44%			
with 1 to 6 litter flow per minute.			1







4.	Acc	oustic Life Detector (Sanjeevani), Mark –I	2 Nos.		
5.		oustic Life Detector (Sanjeevani), Mark–V ecifications :	2 Nos.		
	*	The Sanjeevani – A Life detecting device designed to detect live human beings trapped under the debris of collapsed buildings or landslides during earthquake disaster, building/ structural collapse, bomb blast, terrorist attack etc.			
	*	Very effective in detecting sound through air or through concrete or brick walls even when the source of sound is few meters away.			
	*	The device consists of an acoustic sensor head assembly, an Electronic control unit (ECU) with waist mounted nylon belt and a standard head phone set.			
	*	Can be used in dry as well as even in wet environmental conditions, and the user can continue searching for victims.			
	*	Designed to have high performance, reliability and sensitivity for continuous field use in any environment.			
	*	Very elegant design, light weight, easily portable and can be quickly set up in the field for use.			
	*	Can detect low frequency acoustic signals like hitting, tapping, scratching or moaning sounds made by the victims.			
	*	Provided with a LED display at the handle side to enable the operator to identify the victim's location by the acoustic signal strength, and also this helps to deploy the device even during night time for continuing the search operation.			
	*	The probe head is about 40 mm in diameter, and is made flexible for easy insertion into the gaps between the rubbles to locate the victim.			







- Can detect victim's sound who are trapped under the debris at a distance of about 5 to 8 m from probe head below the debris.
- Provide with a head phone with desired volume control feature.

Technical Specifications:

Model	Probe	Communica	Weight
No.	Length	tion facility	(Kg)
Mark I	2 Mtr.	One way	1.950
	(Telescopic)		
Mark	5 Mtr.	One way	2.700
II	(Extendable)		
Mark	10 Mtr.	One way	3.750
III	(Extendable)		
Mark	5 Mtr.	Two way	2.700
IV	(Extendable)		
Mark	10 Mtr	Two way	3.750
V	(Extendable)		

Acoustic Sensor:

Frequecy range : 10 Hz to 6 KHz

Direction : Omni directional

Operating environment: -20 to +50 degree C

Sealing : water and dust proof

Electrical Sensor:

Amplifier output: 500 mW (max) Amplification level: 100 times

Battery:

Power supply : 6V DC (1.5V x 4 No of 'AA' type cells)

Continuous operating life: 8-10 Hrs. (max)

Type : Disposable







6.	<u>Tarpaulin 4m x 4m</u>	4 Nos.		
	Qualitative Requirements			
	a) Size : 4 meter x 4 meter b) Material			
	:- Made of water proof canvas cloth, its			
	edges should secured by stitching a strip			
	of similar cloth or otherwise of 1" width			
	along the periphery of Tarpaulin. C)			
	Colour :- Green/Navy blue BIS			
	Specification 1. Basic fabric : shall be			
	made from cotton duck or cotton			
	canvas. 2. Common proofing shall be			
	prepared with the ingredients consisting			
	essentially of paraffin wax, a suitable			
	pigment and aluminum stearate. 3.			
	Resistance to microbial attack-The			
	Material shall be rendered resistant to			
	microbial attack treating with suitable			
	rot-proofing agent. 4. Sweating test –			
	The common proofed canvas/duck shall			
	not stain the blotting paper when tested			
	as prescribed. Braking strength not less			
	than 90% of specified value prescribed			
	for the basic fabric.			
	for the basic fabric.			
7.	LIFE JACKET	20 Nos.		
7.	<u>LIFE JACKET</u> Qualitative Requirement	20 Nos.		
7.	Qualitative Requirement GENERAL It should be useful in sea, in case of	20 Nos.		
7.	Qualitative Requirement GENERAL It should be useful in sea, in case of Floods, Safety measure for vessels & Sea	20 Nos.		
7.	Qualitative Requirement GENERAL It should be useful in sea, in case of Floods, Safety measure for vessels & Sea Mishaps. It should be chemically resistant to sea	20 Nos.		
7.	Qualitative Requirement GENERAL It should be useful in sea, in case of Floods, Safety measure for vessels & Sea	20 Nos.		
7.	Qualitative Requirement GENERAL It should be useful in sea, in case of Floods, Safety measure for vessels & Sea Mishaps. It should be chemically resistant to sea water and petroleum products. It special construction should allow quick turning time in case of being knocked unconscious. It should	20 Nos.		
7.	Qualitative Requirement GENERAL It should be useful in sea, in case of Floods, Safety measure for vessels & Sea Mishaps. It should be chemically resistant to sea water and petroleum products. It special construction should allow quick turning time in case of being knocked unconscious. It should have Light that gets automatically activated when	20 Nos.		
7.	Qualitative Requirement GENERAL It should be useful in sea, in case of Floods, Safety measure for vessels & Sea Mishaps. It should be chemically resistant to sea water and petroleum products. It special construction should allow quick turning time in case of being knocked unconscious. It should have Light that gets automatically activated when in contact with sea water/ petroleum products.	20 Nos.		
7.	Qualitative Requirement GENERAL It should be useful in sea, in case of Floods, Safety measure for vessels & Sea Mishaps. It should be chemically resistant to sea water and petroleum products. It special construction should allow quick turning time in case of being knocked unconscious. It should have Light that gets automatically activated when	20 Nos.		
7.	Qualitative Requirement GENERAL It should be useful in sea, in case of Floods, Safety measure for vessels & Sea Mishaps. It should be chemically resistant to sea water and petroleum products. It special construction should allow quick turning time in case of being knocked unconscious. It should have Light that gets automatically activated when in contact with sea water/ petroleum products. The light should have an automatic electronic water activation system and is capable to work between — 1 degree to + 30 degree C.	20 Nos.		
7.	Qualitative Requirement GENERAL It should be useful in sea, in case of Floods, Safety measure for vessels & Sea Mishaps. It should be chemically resistant to sea water and petroleum products. It special construction should allow quick turning time in case of being knocked unconscious. It should have Light that gets automatically activated when in contact with sea water/ petroleum products. The light should have an automatic electronic water activation system and is capable to work between — 1 degree to + 30 degree C. TECHNICAL SPECIFICATIONS The inner	20 Nos.		
7.	Qualitative Requirement GENERAL It should be useful in sea, in case of Floods, Safety measure for vessels & Sea Mishaps. It should be chemically resistant to sea water and petroleum products. It special construction should allow quick turning time in case of being knocked unconscious. It should have Light that gets automatically activated when in contact with sea water/ petroleum products. The light should have an automatic electronic water activation system and is capable to work between — 1 degree to + 30 degree C. TECHNICAL SPECIFICATIONS The inner foam should be made of soft polyurethane foam.	20 Nos.		
7.	Qualitative Requirement GENERAL It should be useful in sea, in case of Floods, Safety measure for vessels & Sea Mishaps. It should be chemically resistant to sea water and petroleum products. It special construction should allow quick turning time in case of being knocked unconscious. It should have Light that gets automatically activated when in contact with sea water/ petroleum products. The light should have an automatic electronic water activation system and is capable to work between — 1 degree to + 30 degree C. TECHNICAL SPECIFICATIONS The inner	20 Nos.		
7.	Qualitative Requirement GENERAL It should be useful in sea, in case of Floods, Safety measure for vessels & Sea Mishaps. It should be chemically resistant to sea water and petroleum products. It special construction should allow quick turning time in case of being knocked unconscious. It should have Light that gets automatically activated when in contact with sea water/petroleum products. The light should have an automatic electronic water activation system and is capable to work between — 1 degree to + 30 degree C. TECHNICAL SPECIFICATIONS The inner foam should be made of soft polyurethane foam. It should have high visibility orange colour fabric, which enhances visibility. The Retro-Reflective Tape should solas approved having floatability: at	20 Nos.		
7.	Qualitative Requirement GENERAL It should be useful in sea, in case of Floods, Safety measure for vessels & Sea Mishaps. It should be chemically resistant to sea water and petroleum products. It special construction should allow quick turning time in case of being knocked unconscious. It should have Light that gets automatically activated when in contact with sea water/ petroleum products. The light should have an automatic electronic water activation system and is capable to work between – 1 degree to + 30 degree C. TECHNICAL SPECIFICATIONS The inner foam should be made of soft polyurethane foam. It should have high visibility orange colour fabric, which enhances visibility. The Retro-Reflective Tape should solas approved having floatability: at least 15.5 kilos, size 80 x 37 x 10 cms approx.	20 Nos.		
7.	Qualitative Requirement GENERAL It should be useful in sea, in case of Floods, Safety measure for vessels & Sea Mishaps. It should be chemically resistant to sea water and petroleum products. It special construction should allow quick turning time in case of being knocked unconscious. It should have Light that gets automatically activated when in contact with sea water/petroleum products. The light should have an automatic electronic water activation system and is capable to work between — 1 degree to + 30 degree C. TECHNICAL SPECIFICATIONS The inner foam should be made of soft polyurethane foam. It should have high visibility orange colour fabric, which enhances visibility. The Retro-Reflective Tape should solas approved having floatability: at	20 Nos.		
7.	Qualitative Requirement GENERAL It should be useful in sea, in case of Floods, Safety measure for vessels & Sea Mishaps. It should be chemically resistant to sea water and petroleum products. It special construction should allow quick turning time in case of being knocked unconscious. It should have Light that gets automatically activated when in contact with sea water/petroleum products. The light should have an automatic electronic water activation system and is capable to work between — 1 degree to + 30 degree C. TECHNICAL SPECIFICATIONS The inner foam should be made of soft polyurethane foam. It should have high visibility orange colour fabric, which enhances visibility. The Retro-Reflective Tape should solas approved having floatability: at least 15.5 kilos, size 80 x 37 x 10 cms approx. TESTING It should be prototype. Tested i.e. Temperature cycling test, Drop Test, Oil Resistance Test, Fire Test, Floatation Test,	20 Nos.		
7.	Qualitative Requirement GENERAL It should be useful in sea, in case of Floods, Safety measure for vessels & Sea Mishaps. It should be chemically resistant to sea water and petroleum products. It special construction should allow quick turning time in case of being knocked unconscious. It should have Light that gets automatically activated when in contact with sea water/ petroleum products. The light should have an automatic electronic water activation system and is capable to work between — 1 degree to + 30 degree C. TECHNICAL SPECIFICATIONS The inner foam should be made of soft polyurethane foam. It should have high visibility orange colour fabric, which enhances visibility. The Retro-Reflective Tape should solas approved having floatability: at least 15.5 kilos, size 80 x 37 x 10 cms approx. TESTING It should be prototype. Tested i.e. Temperature cycling test, Drop Test, Oil Resistance Test, Fire Test, Floatation Test, Strength Test. It should be 24 hrs. water	20 Nos.		
7.	Qualitative Requirement GENERAL It should be useful in sea, in case of Floods, Safety measure for vessels & Sea Mishaps. It should be chemically resistant to sea water and petroleum products. It special construction should allow quick turning time in case of being knocked unconscious. It should have Light that gets automatically activated when in contact with sea water/ petroleum products. The light should have an automatic electronic water activation system and is capable to work between — 1 degree to + 30 degree C. TECHNICAL SPECIFICATIONS The inner foam should be made of soft polyurethane foam. It should have high visibility orange colour fabric, which enhances visibility. The Retro-Reflective Tape should solas approved having floatability: at least 15.5 kilos, size 80 x 37 x 10 cms approx. TESTING It should be prototype. Tested i.e. Temperature cycling test, Drop Test, Oil Resistance Test, Fire Test, Floatation Test, Strength Test. It should be performance	20 Nos.		
7.	Qualitative Requirement GENERAL It should be useful in sea, in case of Floods, Safety measure for vessels & Sea Mishaps. It should be chemically resistant to sea water and petroleum products. It special construction should allow quick turning time in case of being knocked unconscious. It should have Light that gets automatically activated when in contact with sea water/ petroleum products. The light should have an automatic electronic water activation system and is capable to work between — 1 degree to + 30 degree C. TECHNICAL SPECIFICATIONS The inner foam should be made of soft polyurethane foam. It should have high visibility orange colour fabric, which enhances visibility. The Retro-Reflective Tape should solas approved having floatability: at least 15.5 kilos, size 80 x 37 x 10 cms approx. TESTING It should be prototype. Tested i.e. Temperature cycling test, Drop Test, Oil Resistance Test, Fire Test, Floatation Test, Strength Test. It should be 24 hrs. water	20 Nos.		
7.	Qualitative Requirement GENERAL It should be useful in sea, in case of Floods, Safety measure for vessels & Sea Mishaps. It should be chemically resistant to sea water and petroleum products. It special construction should allow quick turning time in case of being knocked unconscious. It should have Light that gets automatically activated when in contact with sea water/ petroleum products. The light should have an automatic electronic water activation system and is capable to work between — 1 degree to + 30 degree C. TECHNICAL SPECIFICATIONS The inner foam should be made of soft polyurethane foam. It should have high visibility orange colour fabric, which enhances visibility. The Retro-Reflective Tape should solas approved having floatability: at least 15.5 kilos, size 80 x 37 x 10 cms approx. TESTING It should be prototype. Tested i.e. Temperature cycling test, Drop Test, Oil Resistance Test, Fire Test, Floatation Test, Strength Test. It should be performance Tested. APPROVAL Life	20 Nos.		
7.	Qualitative Requirement GENERAL It should be useful in sea, in case of Floods, Safety measure for vessels & Sea Mishaps. It should be chemically resistant to sea water and petroleum products. It special construction should allow quick turning time in case of being knocked unconscious. It should have Light that gets automatically activated when in contact with sea water/ petroleum products. The light should have an automatic electronic water activation system and is capable to work between — 1 degree to + 30 degree C. TECHNICAL SPECIFICATIONS The inner foam should be made of soft polyurethane foam. It should have high visibility orange colour fabric, which enhances visibility. The Retro-Reflective Tape should solas approved having floatability: at least 15.5 kilos, size 80 x 37 x 10 cms approx. TESTING It should be prototype. Tested i.e. Temperature cycling test, Drop Test, Oil Resistance Test, Fire Test, Floatation Test, Strength Test. It should be performance Tested. APPROVAL Life Jacket & Light should be MMD approval &	20 Nos.		

(D.S. RAWAT) SSO(CD)/HEAD OF OFFICE